



Product Service

Attestation of Conformity

No. N8A 18 04 99333 049

Holder of Certificate: LONGi Green Energy Technology Co., Ltd.No. 388, Middle Hangtian Road
Chang'an District
710100 Xi'an City, Shaanxi
PEOPLE'S REPUBLIC OF CHINA**Product:** Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono-Crystalline Silicon Photovoltaic Module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 704061802025-00**Date,** 2018-04-18

(Zhulin Zhang)



After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 3



Attestation of Conformity
No. N8A 18 04 99333 049

Model(s):

LR6-72-xxxM, (xxx=320 to 350 in step of 5)
 LR6-72BK-xxxM, (xxx=320 to 350 in step of 5)
 LR6-60-xxxM, (xxx=270 to 300 in step of 5)
 LR6-60BK-xxxM, (xxx=270 to 300 in step of 5)
 LR6-72ST-xxxM, (xxx=300 to 360 in step of 5)
 LR6-60ST-xxxM, (xxx=250 to 300 in step of 5)
 LR6-72PE-xxxM, (xxx=340 to 380 in step of 5)
 LR6-60PE-xxxM, (xxx=280 to 320 in step of 5)
 LR6-72PB-xxxM, (xxx=340 to 375 in step of 5)
 LR6-60PB-xxxM, (xxx=280 to 310 in step of 5)
 LR6-72HC-xxxM (xxx=335 to 355 in step of 5)
 LR6-60HC-xxxM (xxx=280 to 300 in step of 5)
 xxx is standing for rated output power at STC.

Parameters:

Rated Output Power at STC:	See the attachment
Application Class:	Class A
Max. System Voltage:	1000V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P.R.China.
Construction:	Framed, with Junction box, cable and connector

Tested according to:

EN 61730-2:2007/A1:2012
 EN 61730-1:2007/A11:2014

Attestation of Conformity
No.N8A 18 04 99333 049



The following models will be covered by above attestation of conformity:

Product Service

Model	Rated Output Power at STC
LR6-72-320M, LR6-72-325M, LR6-72-330M, LR6-72-335M, LR6-72-340M, LR6-72-345M, LR6-72-350M;	320W, 325W, 330W, 335W, 340W, 345W, 350W;
LR6-72BK-320M, LR6-72BK-325M, LR6-72BK-330M, LR6-72BK-335M, LR6-72BK-340M, LR6-72BK-345M, LR6-72BK-350M;	320W, 325W, 330W, 335W, 340W, 345W, 350W;
LR6-60-270M, LR6-60-275M, LR6-60-280M, LR6-60-285M, LR6-60-290M, LR6-60-295M, LR6-60-300M;	270W, 275W, 280W, 285W, 290W, 295W, 300W;
LR6-60BK-270M, LR6-60BK-275M, LR6-60BK-280M, LR6-60BK-285M, LR6-60BK-290M, LR6-60BK-295M, LR6-60BK-300M;	270W, 275W, 280W, 285W, 290W, 295W, 300W;
LR6-72ST-300M, LR6-72ST-305M, LR6-72ST-310M, LR6-72ST-315M, LR6-72ST-320M, LR6-72ST-325M, LR6-72ST-330M, LR6-72ST-335M, LR6-72ST-340M, LR6-72ST-345M, LR6-72ST-350M, LR6-72ST-355M, LR6-72ST-360M;	300W, 305W, 310W, 315W, 320W, 325W, 330W, 335W, 340W, 345W, 350W, 355W, 360W;
LR6-60ST-250M, LR6-60ST-255M, LR6-60ST-260M, LR6-60ST-265M, LR6-60ST-270M, LR6-60ST-275M, LR6-60ST-280M, LR6-60ST-285M, LR6-60ST-290M, LR6-60ST-295M, LR6-60ST-300M;	250W, 255W, 260W, 265W, 270W, 275W, 280W, 285W, 290W, 295W, 300W;
LR6-72PE-340M, LR6-72PE-345M, LR6-72PE-350M, LR6-72PE-355M, LR6-72PE-360M, LR6-72PE-365M, LR6-72PE-370M, LR6-72PE-375M, LR6-72PE-380M;	340W, 345W, 350W, 355W, 360W, 365W, 370W, 375W;
LR6-60PE-280M, LR6-60PE-285M, LR6-60PE-290M, LR6-60PE-295M, LR6-60PE-300M, LR6-60PE-305M, LR6-60PE-310M, LR6-60PE-315M, LR6-60PE-320M;	280W, 285W, 290W, 295W, 300W, 305W, 310W, 315W, 320W;
LR6-72PB-340M, LR6-72PB-345M, LR6-72PB-350M, LR6-72PB-355M, LR6-72PB-360M, LR6-72PB-365M, LR6-72PB-370M, LR6-72PB-375M;	340W, 345W, 350W, 355W, 360W, 365W, 370W, 375W;
LR6-60PB-280M, LR6-60PB-285M, LR6-60PB-290M, LR6-60PB-295M, LR6-60PB-300M, LR6-60PB-305M, LR6-60PB-310M.	280W, 285W, 290W, 295W, 300W, 305W, 310W.
LR6-72HC-335M, LR6-72HC-340M, LR6-72HC-345M, LR6-72HC-350M, LR6-72HC-355M	335W, 340W, 345W, 350W, 355W;
LR6-60HC-280M, LR6-60HC-285M, LR6-60HC-290M, LR6-60HC-295M, LR6-60HC-300M.	280W, 285W, 290W, 295W, 300W.